ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 613 (2000) 269–270

Journal of Organometallic Chemistry

Author Index of Volume 613

Alvarez Toledano, C., 132
Anulewicz-Ostrowska, R., 37

Baceiredo, A., 33
Becker, T.M., 13
Beck, W., 159
Bedell, B.L., 263
Bentabet, E., 77
Bertermann, R., 19
Bertrand, G., 33
Bondarev, O.G., 148
Branton, P.M., 200
Brauer, D.J., 86
Broussier, R., 7, 77
Brown, M., 111
Bui, V.P., 263
Bu, W., 68
Burschka, C., 19

Canales, S., 50
Chen, C., 68
Chiang, M.Y., 231
Chtchian, S., 208
Clegg, W., 128
Crespo, O., 50

Dąbrowski, M., 93
Danks, T.N., 200
Davankov, V.A., 148
Dolgushin, F.M., 60
Drake, J.E., 244

Englich, U., 139
Eujen, R., 86

Faraoni, M.B., 236
Farooq, O., 239
Fattakhova, D.S., 170, 220
Fehlhammer, W.P., 159
Fuchs, J., 159
Furin, G.G., 60

Garland, M., 124
Gautheron, B., 7, 77
Gavrilov, K.N., 148
Gimeno, M.C., 50
Gornitzka, H., 33

Handmann, V.I., 19
Haukka, M., 257
Henry, W.P., 111
Hitchcock, P.B., 105
Ho, D.M., 13
Hobbold, M., 56
Holden, M.S., 263
Hong, H., 68

Howells, M.E., 200
Hu, Q.-M., 42
Hu, Z., 1
Huang, X., 1
Hursthouse, M.B., 244
Hwang, W.-S., 231

Ihara, E., 26
Izod, K., 128

Jones, P.G., 50
Jouikov, V.V., 170, 220

Kai, Y., 26
Kalck, P., 77
Kanehisa, N., 26
Kato, T., 33
Kempe, R., 208
Kinnunen, T.-J.J., 257
Klimova, E.I., 132
Kolehmainen, E., 7
Koll, L.C., 236
Korostylev, A.V., 148
Kovalevsky, A.Y., 148
Krempner, C., 208
Kryza-Niemiec, B., 37
Kuz'mina, L.G., 77

Laguna, A., 50
Laihia, K., 7
Laly, M., 77
Lappert, M.F., 105
Liddle, S.T., 128
Light, M.E., 244
Linnanto, J., 7
Liu, G., 124

Ma, Y., 1
Madura, I., 119
Mandal, S.K., 13
Mandolesi, S.D., 236
Maruo, T., 26
Mitchell, A.C., 13
Moya Cabrera, M., 132
Mu, Y., 68

Nand Sahay, A., 250
Nelson, J.H., 177
Nissinen, M., 7

O'keiffe, L.K.S., 13

Pakkanen, T.A., 257
Pakkanen, T.T., 257
Pasynkiewicz, S., 37
Penieres Carrillo, G., 132
Perjéssy, A., 7

Petrauskas, E., 86
Petrovskii, P.V., 60
Pietrzykowski, A., 37
Podestá, J.C., 236
Polishchuk, O., 33
Polosukhin, A.I., 148
Povey, D.C., 200
Prashar, S., 105
Priemer, S., 56

Redwine, K.D., 177
Richard, P., 77
Rodríguez Jiménez, A., 132
Rosas Espinosa, N., 132
Roth, A., 86
Rufińska, A., 93
Ruhlandt-Senge, K., 139
Ryszard Kunicki, A., 119

Serp, P., 77
Serwatowski, J., 93
Shankar Pandey, D., 250
Shi, Y.-C., 42
Shur, V.B., 60
Singh, A.K., 244
Smith, G.W., 200
Snader, B.M., 263
Song, L.-C., 42
Sooriyakumar, J., 244
Starikova, Z.A., 60
Streubel, R., 56
Sun, H., 1
Sun, J., 99
Szumacher, S., 119

Tacke, R., 19
Tanaka, M., 26
Thiel, R., 159
Tikhonova, I.A., 60
Tsang, C.-W., 99

Uhlig, F., 139

Valente, E.J., 111
Voronkov, M.G., 170

Walawalkar, M.G., 250
Wang, D.-L., 231
Wehlan, M., 159
Weng, L.-H., 42
Wheatley, N., 77

Xie, Z., 99

Yang, G.-Z., 111
Yang, J., 1
Yanovsky, A.I., 60
Yasuda, H., 26

PII: S0022-328X(00)00758-0

Zachara, J., 93, 119
Zhai, H., 68
Zhang, F., 68
Zhang, Y., 68
Zhao, L., 68
Zhu, W.-F., 42
Zubkowski, J.D., 111
Zúñiga, A.E., 236

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 613 (2000) 271–276

Journal of Organometallic Chemistry

Subject Index of Volume 613

Ab initio/HF
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
Acetylene derivatives
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N'*-(dimethylamino)-$Fe_2(CO)_5$ complex with acetylene derivatives, 132
Alkali metal salts
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239
Alkaline earth metal stannides
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139
η^3-Allenyl
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, 26
Aluminium
The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-}C_5H_5)_2Al(\mu\text{-}OCH_2CH_2O\text{-}^nPr)]_2$; synthesis and structure, 119
Aminocarbene complexes
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56
Arene
Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263
Arenetricarbonylchromium complexes
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, 111
Arylboronic acids
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236
Arylselenides
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Aryltrialkyltins
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236
Azabutadiene
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200
Azido complexes
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159
Azido–isocyanide complexes
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Bicyclic sila-heterocycles
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19
Bidentate ligands
Coordination chemistry of 1,1'-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[Ag(dpspf)\{(SPPh_2)_2CH_2\}]OTf$ and $[Au(dpspf)][AuCl_2]$, 50
Bifunctional
The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-}C_5H_5)_2Al(\mu\text{-}OCH_2CH_2O\text{-}^nPr)]_2$; synthesis and structure, 119
Bipyridine
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[Ru(p\text{-cymene})Cl_2L]$ and *trans*-$[PdCl_2(L)_2]$, 244
Borane
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236
Branched oligosilanes
Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Carbonyl
Synthesis of $-\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]\}-$ via selective CO-substitution of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2]-$ by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-$\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]\}-$, 1
Carbonylation
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231
Carborane
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99
Catalysis
Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77
Catalyst
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
Cation radicals
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Cobalt bis(dicarbollide)
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99

PII: S0022-328X(00)00759-2

Complexation
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2L] and *trans*-[$PdCl_2(L)_2$], 244
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148
Complexes
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60
Conformational study
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93
Conformations
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
Coupling reactions
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N'*-(dimethylamino)-$Fe_2(CO)_5$ complex with acetylene derivatives, 132
Crystal structures
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2L] and *trans*-[$PdCl_2(L)_2$], 244
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, 26
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-[(η^5-RC_5H_4)$_2$$M_2$(μ-Se)$_2$(μ-$SeCH_2Ph$)$_2$] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η^5-RC_5H_4)$_2$$M_2(CO)_4$] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-[(η^5-$EtO_2CC_5H_4$)$_2$$Mo_2$(μ-Se)$_2$(μ-$SeCH_2Ph$)$_2$], 42
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a*,*e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, 111
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, 86
C-Tetrazolato complexes
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159
4-Cyanopyridine
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3:η^3-$C_{10}H_{16}$)Cl_2(CNPy)], 250
[3 + 2]-cycloadditions
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159
Cyclometalated hexacarbonyldiiron complex
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231
Cyclopentadienyl
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
The cyclopentadienylaluminium etheralkoxide derivative [(η^1-C_5H_5)$_2$Al(μ-OCH_2CH_2O-^{n}Pr)]$_2$: synthesis and structure, 119
η^5-Cyclopentadienyl
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, 26
Cyclopropenium
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, 33
Cyclosiloxane
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

Decarbonylate
Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263
DFT/B3LYP
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
Dialkyldichlorosilanes
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170
Diaryldichlorosilanes
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170
Dibenzo[*a*,*e*]cyclooctatetraene
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a*,*e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, 111
[4 + 2] Diels–Alder cycloaddition
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, 177
Differential scanning calorimetry
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93
Dimers
Reactions of [$(CO)_3$(P-P)Mn]$_2$ with primary alcohols, where, P-P is dppe {$Ph_2P(CH_2)_2PPh_2$}, dppp {$Ph_2P(CH_2)_3PPh_2$}, dppb {$Ph_2P(CH_2)_4PPh_2$}, dpppe {$Ph_2P(CH_2)_5PPh_2$}, dtpe {(*p*-tol)$_2$$P(CH_2)_2$P(*p*-tol)$_2$}, or dcpe {(^{c}hex)$_2$$P(CH_2)_2$P(^{c}hex)$_2$}. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, 13
2,7-Dimethyloctadienediyl
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3:η^3-$C_{10}H_{16}$)Cl_2(CNPy)], 250
Diorganylsilanones
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170
Diphosphines
Reactions of [$(CO)_3$(P-P)Mn]$_2$ with primary alcohols, where, P-P is dppe {$Ph_2P(CH_2)_2PPh_2$}, dppp {$Ph_2P(CH_2)_3PPh_2$}, dppb {$Ph_2P(CH_2)_4PPh_2$}, dpppe {$Ph_2P(CH_2)_5PPh_2$}, dtpe {(*p*-tol)$_2$$P(CH_2)_2$P(*p*-tol)$_2$}, or dcpe {(^{c}hex)$_2$$P(CH_2)_2$P(^{c}hex)$_2$}. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, 13

Electrooxidation
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Electrosynthesis
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170
Enamine tricarbonyliron
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200
Ethene
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257
Ethylene
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124

Ferrocene
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77

Germanium
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, 86
Germatrane
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, 86

2*H*-Azaphosphirene complexes
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56
Heteroleptic lanthanide(II) complexes
Syntheses and crystal structures of two ytterbocene complexes $[Yb(\eta\text{-}Cp'')_2I(THF)]$ and $[Yb(\eta\text{-}Cp'')_2(\mu\text{-}Cl)_2Li(THF)_2]$ ($Cp'' = C_5H_3(SiMe_3)_2$-1,3), 105
Homoleptic
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128
Hydrides
Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-}tol)_2P(CH_2)_2P(p\text{-}tol)_2\}$, or dcpe $\{(^cHex)_2P(CH_2)_2P(^cHex)_2\}$. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, 13
Hydroformylation
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124
Hydrogen bonding
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a*,*e*]cyclooctatetraene: $Cr(CO)_3$ orientation controlled by short C–H···O hydrogen bonding, 111
Hydrophosphoranes
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148

Iron
Al_2O_3-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200
Synthesis of $-\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OR)_3]\}-$ via selective CO-substitution of $-[Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)_2]-$ by $P(OR)_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-$\{Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]Me_2Si\text{-}\eta^5\text{-}C_5H_4Fe(CO)[P(OMe)_3]\}-$, 1
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, 33
Iron complexes
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N*′-(dimethylamino)-$Fe_2(CO)_5$ complex with acetylene derivatives, 132

Kinetics
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19

γ-Lactam
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231
Lanthanide(III) halides
Syntheses and crystal structures of two ytterbocene complexes $[Yb(\eta\text{-}Cp'')_2I(THF)]$ and $[Yb(\eta\text{-}Cp'')_2(\mu\text{-}Cl)_2Li(THF)_2]$ ($Cp'' = C_5H_3(SiMe_3)_2$-1,3), 105
Ligand
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
Lithium
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37

Manganese
Reactions of $[(CO)_3(P\text{-}P)Mn]_2$ with primary alcohols, where, P-P is dppe $\{Ph_2P(CH_2)_2PPh_2\}$, dppp $\{Ph_2P(CH_2)_3PPh_2\}$, dppb $\{Ph_2P(CH_2)_4PPh_2\}$, dpppe $\{Ph_2P(CH_2)_5PPh_2\}$, dtpe $\{(p\text{-}tol)_2P(CH_2)_2P(p\text{-}tol)_2\}$, or dcpe $\{(^cHex)_2P(CH_2)_2P(^cHex)_2\}$. Synthesis of *fac*-$(CO)_3$(P-P)MnH and the X-ray structure of *fac*-$(CO)_3$(dtpe)MnH, 13
Metallo-ligand
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of $[Ru(\eta^3\text{:}\eta^3\text{-}C_{10}H_{16})Cl_2(CNPy)]$, 250
Metal–metal multiple bond
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, 42
Modification
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
Mo_2Se_2 clusters
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-$[(\eta^5\text{-}RC_5H_4)_2M_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-}RC_5H_4)_2M_2(CO)_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-$[(\eta^5\text{-}EtO_2CC_5H_4)_2Mo_2(\mu\text{-}Se)_2(\mu\text{-}SeCH_2Ph)_2]$, 42

N_2 evolution
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Nickel
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257
Nickel clusters
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37
Niobium
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
Nitriles
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60
NMR
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7
NMR spectroscopy
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19
N-(2-thienylmethylidene)aniline
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231
Nucleophilic fluorination
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

Olefin
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
Organotin hydrides
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236
Oxide
Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^{1}H- and ^{13}C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Palladium
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2**L**] and *trans*-[$PdCl_2$(**L**)$_2$], 244
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77
Palladium complexes
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148
Perfluorinated complex anion
Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239
$(PhCH_2)_2Se_2$
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-[(η^5-RC_5H_4)$_2M_2$(μ-Se)$_2$(μ-$SeCH_2Ph$)$_2$] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η^5-RC_5H_4)$_2M_2$(CO)$_4$] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-[(η^5-$EtO_2CC_5H_4$)$_2Mo_2$(μ-Se)$_2$(μ-$SeCH_2Ph$)$_2$], 42
Phosphaalkenes
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, 33
Phosphine
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77
Phosphole
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, 177
Phosphorus
Synthesis of –{Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]}– via selective CO-substitution of –[Me_2Si-η^5-$C_5H_4Fe(CO)_2Me_2Si$-η^5-$C_5H_4Fe(CO)_2$]– by P(OR)$_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]}–, 1
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, 33
Photochemistry
Synthesis of –{Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]}– via selective CO-substitution of –[Me_2Si-η^5-$C_5H_4Fe(CO)_2Me_2Si$-η^5-$C_5H_4Fe(CO)_2$]– by P(OR)$_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]}–, 1
P-ligands
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128
Polymercury-containing macrocycles
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60
Polymerization
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
η^1-Propargyl
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, 26
2-Propoxyethanol
The cyclopentadienylaluminium etheralkoxide derivative [(η^1-C_5H_5)$_2$Al(μ-OCH_2CH_2O-^{n}Pr)]$_2$; synthesis and structure, 119

Reactivity
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Rearrangements
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56
Rhodium
Rhodium and palladium complexes from 1,1′ and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77
Rhodium carbonyl complexes
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124

Rhodium complexes
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148
Ru(IV) complexes
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3:η^3-$C_{10}H_{16}$)Cl_2(CNPy)], 250
Ruthenium
Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (**L**): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl_2**L**] and *trans*-[$PdCl_2$(**L**)$_2$], 244

Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, 177
Samarium
Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3-allenyl and η^1-propargyl lanthanide complexes, 26
Samarium(II)
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128
Silanes
Synthesis, structure and spectroscopic properties of branched oligosilanes, 208
Silicon
Synthesis of –{Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]}– via selective CO-substitution of –[Me_2Si-η^5-C_5H_4Fe(CO)$_2$$Me_2$Si-$\eta^5$-$C_5H_4$Fe(CO)$_2$]– by P(OR)$_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]}–, 1
Synthesis, structure and spectroscopic properties of branched oligosilanes, 208
Silicon organic compounds
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Silver
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99
^{119}Sn-NMR spectroscopy
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139
Stannanes
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139
Stereoelectronic effects
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
Structure
Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99
Structure elucidation
Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139
Synthesis, structure and spectroscopic properties of branched oligosilanes, 208
Substitution
Synthesis of –{Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OR)$_3$]}– via selective CO-substitution of –[Me_2Si-η^5-C_5H_4Fe(CO)$_2$$Me_2$Si-$\eta^5$-$C_5H_4$Fe(CO)$_2$]– by P(OR)$_3$ (R = Ph, ^{n}Bu, ^{n}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]Me_2Si-η^5-C_5H_4Fe(CO)[P(OMe)$_3$]}–, 1
Superoxide anion
Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170
Syntheses
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19
Synthon
Synthesis and characterization of some mono and binuclear (η^3:η^3-$C_{10}H_{16}$) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3:η^3-$C_{10}H_{16}$)Cl_2(CNPy)], 250

Tetraethylpyrazabole
Solid state ^{13}C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93
Tetrarhodium dodecacarbonyl
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124
Three-membered ring
The peculiar behavior of a diphosphirenium salt towards sodium η^5-cyclopentadienyl(dicarbonyl)ferrate, 33
Trans coordination
Coordination chemistry of 1,1′-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of [Ag(dpspf){($SPPh_2$)$_2$$CH_2$}]OTf and [Au(dpspf)][$AuCl_2$], 50
Transmetallations
Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236
Tungsten
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56

UV–vis-spectroscopy
Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Vibrational spectroscopy
The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, 86

W_2Se_2 clusters
Synthesis of novel quadruply bridged M_2Se_4 clusters *trans*/*anti* and *trans*/*syn*-[(η^5-RC_5H_4)$_2$$M_2$($\mu$-Se)$_2$($\mu$-$SeCH_2Ph$)$_2$] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η^5-RC_5H_4)$_2$$M_2(CO)_4$] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans*/*anti*- and *trans*/*syn*-[(η^5-$EtO_2CC_5H_4$)$_2$$Mo_2$($\mu$-Se)$_2$($\mu$-$SeCH_2Ph$)$_2$], 42

X-ray
Reactions of [(CO)$_3$(P-P)Mn]$_2$ with primary alcohols, where, P-P is dppe {$Ph_2P(CH_2)_2PPh_2$}, dppp {$Ph_2P(CH_2)_3PPh_2$}, dppb {$Ph_2P(CH_2)_4PPh_2$}, dpppe {$Ph_2P(CH_2)_5PPh_2$}, dtpe {(*p*-tol)$_2$$P(CH_2)_2$P(*p*-tol)$_2$}, or dcpe {(^{c}hex)$_2$$P(CH_2)_2$P(^{c}hex)$_2$}. Synthesis of *fac*-(CO)$_3$(P-P)MnH and the X-ray structure of *fac*-(CO)$_3$(dtpe)MnH, 13
X-ray analysis
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148
X-ray crystallography
Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6-arene)Ru(DMPP)Cl_2 complexes with dieneophilic ligands, 177
X-ray diffraction
Coordination chemistry of 1,1′-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of [Ag(dpspf){($SPPh_2$)$_2$$CH_2$}]OTf and [Au(dpspf)][$AuCl_2$], 50

X-ray structure analysis
Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60
X-ray structures
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159
Ytterbium
Syntheses and crystal structures of two ytterbocene complexes $[Yb(\eta\text{-}Cp'')_2I(THF)]$ and $[Yb(\eta\text{-}Cp'')_2(\mu\text{-}Cl)_2Li(THF)_2]$ ($Cp'' = C_5H_3(SiMe_3)_2$-1,3), 105
Zirconocene
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68